

L Number	Hits	Search Text	DB	Time stamp
71	33	432/197.ccls. and (oil or sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:02
72	18	432/197.ccls. and (oil)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:04
73	486	432/103,112.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:04
74	33	432/197.ccls. and (oil or sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:23
75	123	432/103,112.ccls. and (oil or sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:35
76	63	432/103,112.ccls. and (heat\$3 with (oil or sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:18
77	1	68/12.07,15,16,139.ccls. and (color near test\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:24
78	1	68/\$.ccls. and (color near test\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:24
-	30678	68/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:31
-	1	68/\$.ccls. and (color adj test adj (machine or apparatus or system or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:46
-	26	((color adj test adj (machine or apparatus or system or device))) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:44
-	7	hsu.in. and ((min adj chung) or min-chung).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:39
-	51	((color adj test adj (machine or apparatus or system or device))) and (oil or liquid or fluid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:27

-	11	((color adj test adj (machine or apparatus or system or device))) and (oil\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:27
-	87	(color adj test adj (machine or apparatus or system or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:29
-	197	68/\$.ccils. and 8/\$.ccils. and 34/\$.ccils.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:31
-	102576	68/\$.ccils. or 8/\$.ccils. or 34/\$.ccils.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:24
-	2943	(68/\$.ccils. or 8/\$.ccils. or 34/\$.ccils.) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:32
-	7	((68/\$.ccils. or 8/\$.ccils. or 34/\$.ccils.) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)) and (color near test)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:34
-	545	((68/\$.ccils. or 8/\$.ccils. or 34/\$.ccils.) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)) and (heat near transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:34
-	1	((68/\$.ccils. or 8/\$.ccils. or 34/\$.ccils.) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)) and (color near test)) and ((heat near transfer) with (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:35
-	349	(color adj test) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:39
-	2	(68/\$.ccils. or 8/\$.ccils. or 34/\$.ccils.) and ((color adj test) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:38
-	25	(color adj test) and ((sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) with oil)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:41
-	1388	(heat adj transfer) and ((sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) with oil)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:31
-	58	((heat adj transfer) and ((sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) with oil)) and dye\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:42

-	151	((heat near transfer\$4) with ((sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) with oil)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:30
-	62	((heat near transfer\$4) with ((sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) with oil)) and (tumb\$3 or rotat\$3 or rotary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:31
-	12	(color adj test adj (machine or apparatus or system or device)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:34
-	19	color adj test adj machine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:43
-	680	heat\$3 and tumbler and shaft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:44
-	213	(heat\$3 and tumbler and shaft) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:26
-	119	((heat\$3 and tumbler and shaft) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)) and oil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:44
-	18	((((heat\$3 and tumbler and shaft) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)) and oil) and (heat\$3 near transfer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:45
-	2257	(heat\$3 with transfer\$3 with (media or medium)) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) and (oil)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:50
-	96	(heat\$3 with transfer\$3 with (media or medium)) same (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) same (oil)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:51
-	1237	((heat\$3 with transfer\$3 with (media or medium)) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) and (oil)) and (tumb\$3 or rotat\$3 or rotary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:58
-	37	((heat\$3 with transfer\$3 with (media or medium)) same (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) same (oil)) and (tumb\$3 or rotat\$3 or rotary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:31
-	141	((heat\$3 with transfer\$3 with (media or medium)) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) and (oil)) and (color with test\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:58

-	90	((heat\$3 with transfer\$3 with (media or medium))) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) and (oil)) and (color with test\$3)) and (textile or dye\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:59
-	86	432/\$.cccls. and ((sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) with oil)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:31
-	52	(432/\$.cccls. and ((sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) with oil)) and (tumb\$3 or rotat\$3 or rotary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:48
-	87	(color adj test adj (machine or apparatus or system or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:49
-	47	((color adj test adj (machine or apparatus or system or device))) and (textile or cloth\$3 or fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:47
-	8	((color adj test adj (machine or apparatus or system or device))) same (tumb\$3 or rotat\$3 or rotary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:27
-	1	(rotary adj tumbler) with heat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:22
-	6	(rotary adj tumbler) with heat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:22
-	3	(68/\$.cccls. or 8/\$.cccls. or 34/\$.cccls.) and (rotary adj tumbler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:25
-	581	(68/\$.cccls. or 8/\$.cccls. or 34/\$.cccls.) and (heat\$3 with transfer\$3 with (media or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:44
-	203	((68/\$.cccls. or 8/\$.cccls. or 34/\$.cccls.) and (heat\$3 with transfer\$3 with (media or medium))) and oil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:44
-	227	(68/\$.cccls. or 8/\$.cccls. or 34/\$.cccls.) and (heat\$3 adj transfer\$3 adj (media or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:26
-	49	((68/\$.cccls. or 8/\$.cccls. or 34/\$.cccls.) and (heat\$3 adj transfer\$3 adj (media or medium))) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:24

-	27	((68/\$.ccls. or 8/\$.ccls. or 34/\$.ccls.) and (heat\$3 adj transfer\$3 adj (media or medium))) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) and (tumb\$3 or rotat\$3 or rotary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:24
-	979	68/12.07,15,16,139.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:41
-	353	432/\$.ccls. and (heat\$3 with transfer\$3 with (media or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:44
-	136	(432/\$.ccls. and (heat\$3 with transfer\$3 with (media or medium))) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:19
-	48	((432/\$.ccls. and (heat\$3 with transfer\$3 with (media or medium))) and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic) and oil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:46
-	19	(color adj test adj (machine))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:18
-	124	432/197.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:18
-	23	432/197.ccls. and (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:04
-	20	432/197.ccls. and (tumb\$3 or rotat\$3 or rotary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:24
-	77	((68/\$.ccls. or 8/\$.ccls. or 34/\$.ccls.) and (heat\$3 adj transfer\$3 adj (media or medium))) and (heat\$3 with (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic or oil))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:34
-	5	68/12.07,15,16,139.ccls. and (heat\$3 with (sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic or oil))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:24
-	24	68/12.07,15,16,139.ccls. and ((sand or (aluminum adj oxide) or (magnesium adj oxide) or ceramic or oil))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:35